

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("6384664" "6498526").pn.	USPAT	OR	OFF	2005/04/01 08:48
S2	174	324/550.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/31 13:31
S3	1	("6384664" "6498526").pn. and (equal equivalent)	USPAT	OR	OFF	2005/03/30 15:13
S4	5	("6384664").URPN.	USPAT	OR	OFF	2005/03/31 08:56
S5	6	("5404049" "5487037" "5536968" "5731733" "5976943" "6091273").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/31 09:40
S6	2	("6498526").URPN.	USPAT	OR	OFF	2005/03/31 11:12
S7	6	("4210875" "4446534" "5353028" "5789970" "5953279" "6346738").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/31 11:20
S8	6	324/550.ccls. and (NAND near3 gate\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/31 14:18
S9	2	("6384664" "6498526").pn.	USPAT	OR	OFF	2005/03/31 13:43
S10	119	324/550.ccls. and (fuse\$1)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/31 15:18
S11	33	324/550.ccls. and (fuse\$1 with reference)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/31 16:10
S12	5	324/522,527,549.ccls. and (fuse\$1 with ((detect\$3 sens\$3 measur\$3 determin\$3) near3 voltage))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/31 16:23
S13	2	324/522,527,549.ccls. and (fuse\$1 with read)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/31 16:24
S14	2338	(fuse\$1 with read)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/01 09:05
S15	154	(fuse\$1 with (signal near3 read))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/31 16:24

S16	14	S15 and "324"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/31 16:30
S17	20	S15 and (327/525.ccls. or 257/529.ccls.)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/03/31 16:30
S18	2	257/529,538.ccls. and (fuse\$1 with read with NAND)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/01 08:49
S19	17	(fuse\$1 with read with NAND)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/01 09:34
S20	11	257/529,538.ccls. and (reference near3 fuse) and ((detect\$3 sens\$3 measur\$3 determin\$3) near3 voltage)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/01 11:00
S21	17	257/529,538.ccls. and (fuse near3 bridge)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/01 09:44
S22	16	S21 not S20	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/01 10:30
S24	28	327/525,526.ccls. and (reference near3 fuse) and ((detect\$3 sens\$3 measur\$3 determin\$3) near3 voltage)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/01 11:57
S25	1	"5731733".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/01 12:18
S26	14	("5789970").URPN.	USPAT	OR	OFF	2005/04/01 11:58
S27	6	("5959445").URPN.	USPAT	OR	OFF	2005/04/01 12:06
S28	9	("4608530" "4698589" "4730129" "4837520" "5140554" "5334880" "5384746" "5418487" "5731733").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/01 12:17
S30	75	324/537.ccls. and fuse	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/01 13:24

S31	15	324/537.ccls. and (fuse same ((detect\$3 sens\$3 measur\$3 determin\$3) near3 voltage))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/01 13:42
S32	30	("5789970" "5731733").pn"	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/01 13:38
S33	30	("5789970" "5731733").pn."	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/01 13:38
S34	30	("5789970" "5731733").pn."	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/01 13:38
S35	1	"5789970".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/01 13:38
S36	2	(fuse same ((detect\$3 sens\$3 measur\$3 determin\$3) near3 voltage)) and (transistor near4 width near4 (variable change different))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/01 13:44
S37	28	(fuse same ((detect\$3 sens\$3 measur\$3 determin\$3) near3 voltage)) and (transistor near4 (width near2 length))	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/01 14:05
S38	1933	(fuse) same (adjust change near3 (width length ratio sensitivity) near3 transistor)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/01 14:24
S39	66	S38 and ("324"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/01 14:24
S40	2	(fuse) same ((adjust change) near3 (width length ratio sensitivity) near3 transistor)	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/01 17:04
S41	1	"6346738".pn.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2005/04/01 17:04